IN THE CLAIMS:

Please cancel claims 6, 8, and 9 and amend claims 1, 7, 10, and 11 as follows:

1. (Currently Amended) A handle for attaching to a trigger operated hand tool wherein the handle includes:

a shaft adapted so as to be attachable at one end thereof to the hand tool;

a hand grip located at the other end of the shaft;

a trigger activator positioned near the hand grip capable of being operatively connected to the trigger associated with the hand tool;

the hand grip is angled with respect to the longitudinal axis of the shaft to allow the handle to be easily gripped by a person's hand; and

wherein the hand grip includes a second hand grip positioned on the shaft at a point intermediate to the two ends of the shaft, the second hand grip being slidable along the length of the shaft and selectively detachable clampable along the shaft; and

further including a trigger lever operatively connected to the trigger, and wherein the trigger activator controls the trigger lever to operate the trigger associated with the hand tool.

Appl. No. 09/744,874 Amdt. dated June 7, 2004 Reply to Office Action of December 8, 2003

- 2. (Previously Amended) The handle as claimed in claim 1 wherein the trigger operated hand tool is motorized.
- 3. (Previously Amended) The handle as claimed in claim 1 wherein the trigger operated hand tool is a nail gun.
- 4. (Previously Amended) The handle as claimed in claim 1 wherein the length of the shaft is substantially 50cm to 70cm.
- 5. (Previously Amended) The handle as claimed in claim 1 wherein the shaft includes a clamp at one end thereof capable of holding a nail gun.
 - 6. (Canceled)
- 7. (<u>Previously Currently Amended</u>) The handle as claimed in claim 1 wherein the trigger activator is in the form of a <u>handle</u> lever.
 - 8. (Canceled)

Appl. No. 09/744,874 Amdt. dated June 7, 2004 Reply to Office Action of December 8, 2003

9. (Canceled)

- 10. (<u>Previously-Currently Amended</u>) The handle as claimed in claim 7 wherein one end of a cable is connected to the <u>handle</u> lever such that pivoting of the <u>handle</u> lever causes the relative length of the cable to increase or decrease to control activation of the trigger associated with the hand tool.
- 11. (Previously Currently Amended) The handle as claimed in claim 10 wherein the cable is attached at its opposite end to a second the trigger lever which is pivoted via the relative shortening or lengthening of the cable, to control activation of the trigger associated with the hand tool.
 - 12. (Canceled)
 - 13. (Canceled)